IN THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-15 (Canceled).

16. (Original) An OLAP query generation engine, comprising:

a query object model, the query object model including a data structure which models an OLAP query; and

a programming interface for generating an OLAP query statement from the query object model according to a structured query format specified by the query object model.

- 17. (Original) The engine of claim 16, wherein the data structure models the OLAP query in an abstract form that is compatible with a plurality of different OLAP structured query formats.
- 18. (Original) The engine of claim 16, wherein the data structure models the OLAP query in a form different from the implementation of underlying OLAP servers.
- 19. (Original) The engine of claim 16, wherein the programming interface is also for maintaining the OLAP query statement.
- 20. (Original) The engine of claim 16, wherein the programming interface is also for executing the OLAP query statement.
- 21. (Original) The engine of claim 16, wherein the query object model is capable of specifying the MDX and the RS query formats, and the programming interface generates an MDX query statement and an RS query statement when the query object model specifies the MDX query format and the RS query format, respectively.

Title: OLAP QUERY GENERATION ENGINE

- 22. (Original) The engine of claim 16, wherein the query object model is capable of specifying first, second and third structured query formats, and the programming interface generates the query statement using the first, second and third formats when the query object model specifies the first, second and third structured query formats, respectively.
- 23. (Original) An OLAP query object model, comprising: a query object which defines an OLAP query in abstract form; and a root object including methods for transforming the query object into an OLAP query statement according to a structured query format specified by the query object.
- 24. (Original) The model of claim 23, wherein the query object is capable of specifying the MDX query format and the RS query format, and the root object includes methods for generating an MDX query statement and an RS query statement when the query object specifies the MDX query format and the RS query format, respectively.
- 25. (Original) The model of claim 23, wherein the query object is capable of specifying first, second and third structured query formats, and the root object includes methods for generating the query statement using the first, second and third structured query formats when the query object specifies the first, second and third structured query formats, respectively.
- 26. (Original) An OLAP query generation engine for use with an OLAP query and reporting application that supports a first OLAP server using a first structured query format and supports a second OLAP server using a second structured query format, the engine comprising:

an object model including a data structure that models an OLAP query; and

a programming interface for generating an OLAP query statement according to the first structured query format when the first structured query format is specified by the object model and according to the second structured query format when the second structured query format is specified. Serial Number: Unknown Filing Date: Herewith

Title: OLAP QUERY GENERATION ENGINE

- Original) The engine of claim 26, wherein the query and reporting application supports a Microsoft Analysis Services OLAP server using the MDX query format and an Hyperion Essbase OLAP server using the RS query format, and the programming interface generates an MDX query statement and an RS query statement when the object model specifies the MDX query format and the RS query format, respectively.
- 28. (Original) The engine of claim 26, wherein the query and reporting application supports first, second and third OLAP servers using first, second and third structured query formats, and the programming interface generates the query statement using the first, second and third structured query formats when the first, second and third structured query formats are specified.

Claims 29-31 (Canceled).